

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings of claims in the application:

1.     **(Currently Amended)** A storage system, comprising:  
  
        a storage unit;  
  
        an inner storage unit, wherein the inner storage unit is removeably positioned within the storage unit;  
  
        a tracking device, wherein the tracking device monitors the presence of an item associated with the inner storage unit, monitors the temperature of the item and generates tracking data, with a real-time clock tracking the timing of the events associated with the item associated with the tracking device at all times; and  
  
        a processing device that reads the tracking data from the tracking device.
2.     **(Currently Amended)** The storage system of claim 1, further comprising:  
  
        a data storage device that is electrically linked to the processing device; and  
  
        an access control system granting access and identifying access to the inner storage unit associated with the items.
3.     **(Currently Amended)** The storage system of claim 2, wherein the tracking data is stored in the data storage device including historical and current information related to the items, with the tracking device being integrated into the construction of the inner storage unit and each tracking device having a unique identifier.

4. **(Currently Amended)** The storage system of claim 1, wherein in the inner storage unit is a rack and an access device integrated with the rack, and granting access and identifying access to the rack.
5. **(Original)** The storage system of claim 1, wherein the inner storage unit is a drawer storage rack.
6. **(Original)** The storage system of claim 1, wherein the inner storage unit is a drawer.
7. **(Currently Amended)** The storage system of claim 1, wherein the inner storage unit is a shelf, when the electrodes of the shelf are electrically connected to a network with the processing device, the status of the shelf, items is monitored.
8. **(Currently Amended)** The storage system of claim 1, wherein the inner storage unit is a tray, with the items being electronically linked to the tray that is electronically linked to a data storage device storing the tracking data from the items with respect to the tray, the data storage device being controlled by the processing device.
9. **(Original)** The storage system of claim 1, wherein the inner storage unit is a petri dish.
10. **(Original)** The storage system of claim 1, wherein the inner storage unit is a blood bag.
11. **(Original)** The storage system of claim 1, wherein the inner storage unit has a conductive portion that electrically links the tracking device to the processing device.
12. **(Currently Amended)** The storage system of claim 11, wherein the conductive portion is a hook, with the hook being placed on a top and a bottom surface of the inner storage container, the inner storage container being a pouch.

13. **(Original)** The storage system of claim 11, wherein the conductive portion is a phono jack.
14. **(Original)** The storage system of claim 11, wherein the conductive portion in an accordion cable.
15. **(Original)** The storage system of claim 11, wherein the conductive portion is connector.
16. **(Currently Amended)** A method of manufacturing a storage unit, comprising:  
attaching a mechanical arm onto a surface of a storage unit; and  
coupling a first tracking device onto the mechanical arm, with a real-time tracking of the timing of the events associated with the items interfaced by the mechanical arm.
17. **(Currently Amended)** The method according to claim 16, wherein the first tracking device is ~~an iButton socket~~ tracks time and temperature at a plurality of discrete time intervals.
18. **(Currently Amended)** The method according to claim 16, wherein the mechanical arm is a restraint latch, and the first tracking device determining whether it is an appropriate time to record the temperature of an item with the mechanical arm, and then logging the temperature of the item in a database.
19. **(Original)** The method according to claim 16, further comprising attaching a second tracking device to a container.
20. **(Original)** The method according to claim 19, wherein the container is a petri dish.
21. **(Currently Amended)** A storage system, comprising:  
A storage system, comprising:  
means for storing;

means for tracking, wherein the tracking means monitors the presence of an item associated with the storing means, monitors the temperature of the item and generates tracking data, with a real-time clock tracking the timing of the events associated with the item associated with the tracking device for a plurality of discrete time intervals; and

means for processing, wherein the processing means reads the tracking data from the tracking means.